

Alouette Ware Wash Chemicals Inc.

#2130 - 1850 Savage Road, RICHMOND, BC Tel: 604.233.7722

24 HOUR NUMBER: CANUTEC 613-996-6666

Safety Data Sheet Bleach

Section 01 – Product and Company Identification

Product Identifier Bleach 6%

Other Means of Identification Bleach, Clorox, Hypochlorous acid-sodium salt, Javel water, Liquid Bleach, NaOCl, Soda

Bleach, Sodium Chloride Oxide, Sodium Oxychloride, Javex.

Product Use and Restrictions on

Use

Disinfectant, bleaching agent, source of available chlorine, deodorizer.

Initial Supplier Identifier Alouette Warewash Chemicals Inc.

2130-1851 Savage Road, Richmond, BC, V6V 1R1

Phone: 1(604) 233-7722

Prepared By

24-Hour Emergency Phone

Section 02 - Hazard Identification

GHS-Classification

Skin Corrosion/IrritationCategory 1BSerious Eye Damage/IrritationCategory 1

Physical Hazards

Corrosive to Metals Category 1

Danger

Hazard Statements

H314 – Causes severe skin burns and eye damage.

H290 – May be corrosive to metals.

EUH 031 – Contact with acids liberates toxic gas.

Pictograms



Precautionary Statements

P234 - Keep only in original container.

P405 – Store locked up.

P260 – Do not breathe mist, vapours or spray.

P280 – Wear protective gloves, protective clothing, eye protection, and face protection.

P301 +P330 + P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303 + P361 + P353 – IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin.

P363 – Wash contaminated clothing before reuse.

P304 + P340 – IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P310 – Immediately call a POISON CENTER or doctor/physician.

P305 + P351 + P338 – IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P390 – Absorb spillage to prevent material damage.

P501 – Dispose of contents/container in accordance with all federal, provincial, and/or local regulations including the Canadian Environmental Protection Act.

Section 03 - Composition / Information on Ingredients

Chemical Name	CAS Number	Weight %	Unique Identifiers
Sodium Hypochlorite	7681-52-9	6%	None
Water	7732-18-5	94%	

Section 04 - First Aid Measures

Inhalation Can release corrosive chlorine gas. Remove victim to fresh air. Give artificial respiration

only if breathing has stopped. If breathing is difficult, give oxygen. Seek immediate

medical attention.

Skin Contact / Absorption Under running water, remove contaminated clothing, shoes and leather goods.

Completely decontaminate clothing, shoes and leather goods before reuse, or discard.

Seek immediate medical attention.

Eye ContactContact lenses should never be worn when working with this product. Flush immediately

with lukewarm, gently flowing water for at least 30 minutes. Forcibly hold eyelids apart to ensure complete irrigation of eye tissue. If a contact lens is present, remove only if easy

to do so. Seek immediate medical attention.

Ingestion NEVER give anything by mouth if victim is rapidly losing consciousness, is unconscious

or convulsing. Have victim rinse mouth thoroughly with water. DO NOT INDUCE VOMITING. Have victim drink 240 to 300 mL (8 to 10 oz.) of water to dilute material in stomach. If vomiting occurs naturally, have victim lean forward to reduce risk of

aspiration. Rinse mouth and repeat administration of water. Quickly transport victim to an

emergency care facility.

Additional Information NOTE: This product can release a toxic gas. Take proper precautions to ensure your own

safety before assisting others. DO NOT allow victim to move about unnecessarily. Symptoms of pulmonary edema can be delayed up to 48 hours after exposure.

Section 05 - Fire Fighting Measures

Suitable Extinguishing Media Sodium hypochlorite solutions do not burn. Extinguish fire using extinguishing agents

suitable for the surrounding fire and not contraindicated for use with sodium hypochlorite.

Cool exposed containers with water.

Unsuitable Extinguishing Media DO NOT use dry chemical fire extinguishing agents containing ammonium compounds

(such as some A:B:C agents), since an explosive compound can be formed.

Chemical

Specific Hazards Arising From the Sodium hypochlorite decomposes when heated, giving off corrosive chlorine and hydrogen chloride. Solutions decompose when exposed to sunlight, giving off oxygen gas. However, the amount of oxygen produced is not sufficient to cause combustion. Explosive decomposition may occur under fire conditions and closed containers may rupture violently due to a rapid decomposition, if exposed to fire or excessive heat for a sufficient period of time.

Special Protective Equipment for Fire-Fighters

Wear NIOSH-approved self-contained breathing apparatus and protective clothing. The decomposition products of sodium hypochlorite, such as chlorine and hydrogen chloride are extremely hazardous to health. Do not enter without wearing specialized protective equipment suitable for the situation. Firefighter's normal protective equipment (Bunker Gear) will not provide adequate protection.

Further Information

Not Available

Section 06 - Accidental Release Measures

Equipment / Emergency Procedures

Personal Precautions / Protective Wear appropriate personal protective equipment. Ventilate area. Only enter area with PPE. Stop or reduce leak if safe to do so. Flush with water to remove any residue.

Environmental Precautions

Prevent material from entering sewers or confined spaces. Notify local health and wildlife officials. Notify operators of nearby water intakes.

Methods and Materials for **Containment and Cleaning Up**

SMALL SPILLS: Soak up spill with absorbent material which does not react with spilled chemical. Put material in suitable, covered, labelled containers. Flush area with water. Contaminated absorbent material may pose the same hazards as the spilled product. Small spills of sodium hypochlorite solutions can be broken down by covering it with a reducing agent such as sodium thiosulfate, sodium metabisulfite, or a ferrous salt. With the sulfite or ferrous salt, add some dilute (2 M) sulfuric acid to speed up the reaction. Transfer the mixture into large containers of water and neutralize with soda ash (sodium carbonate).

LARGE SPILLS: Contact fire and emergency services and supplier for advice.

Section 07 - Handling and Storage

Precautions for Safe Handling

This material is a CORROSIVE liquid. Use proper equipment for lifting and transporting all containers. Use sensible industrial hygiene and housekeeping practices. Wash thoroughly after handling. Avoid all situations that could lead to harmful exposure. Avoid generating mists. Prevent the release of mists into the workplace air. Inspect containers for damage or leaks before handling. Label containers. Never add water to a corrosive. Always add corrosives to water. When mixing with water, stir small amounts in slowly. Use cold water to prevent excessive heat generation. Never return contaminated material to its original container. Have suitable emergency equipment for fires, spills and leaks readily available.

Conditions for Safe Storage

Store in a cool, dry, well-ventilated area, out of direct sunlight and away from heat sources. Strong solutions (greater than 10% available chlorine) may slowly give off chlorine during storage, especially when warm (above 18°C). Vent caps may be required to prevent a build-up of pressure that could cause containers to burst. Always store in original labelled container. Keep containers tightly closed when not in use and when empty. Empty containers may contain hazardous residues. Protect label and keep it visible.

Incompatibilities

Primary amines, aromatic amines, ammonium salts, phenylacetonitril, ammonia, urea, phenylacetonitrile, acids, metals, reducing agents, ethyleneimine, methanol, formic acid, furfuraldehyde, ethandiol, sodium ethylenedioaminetetracetate solution, sodium hydroxide solution.

Section 08 - Exposure Controls and Personal Protection

Exposure Limit(s)

Component	Regulation	Type of Listing	Value
Sodium hypochlorite	AIHA	WEEL-STEL	2mg/m ³ (15 min)
Chlorine	ACGIH	TLV-TWA	0.5 ppm

Engineering Control(s)

Ventilation RequirementsMechanical ventilation (dilution or local exhaust), process or personnel enclosure and

control of process conditions must be provided in accordance with all fire codes and regulatory requirements. Supply sufficient replacement air to make up for air removed by

exhaust systems.

Other Emergency shower and eyewash must be available and tested in accordance with

regulations and be in close proximity.

Protective Equipment

Eyes/Face Chemical goggles, full-face shield, or a full-face respirator is to be worn at all times when

product is handled. Contact lenses should never be worn; they may contribute to severe

eye injury.

Hand Protection Impervious gloves of chemically resistant material (rubber or PVC) should be worn at all

times. Wash contaminated clothing and dry thoroughly before reuse.

Skin and Body Protection Guidelines for sodium hypochlorite, less than 30%:

RECOMMENDED (resistance to breakthrough longer than 8 hours): Butyl rubber, Natural

rubber, Neoprene rubber, Nitrile rubber, Polyethylene, Polyvinyl chloride, Viton(TM),

Silver Shield/4H(TM) (polyethylene/ethylene vinyl alcohol), Tychem(TM) SL

(Saranex(TM)).

There is evidence that this material can cause serious skin injury (e.g. corrosion or

absorption hazard).

Recommendations are NOT valid for very thin natural rubber, neoprene, nitrile and PVC

gloves (0.3 mm or less).

Resistance of specific materials can vary from product to product. Breakthrough times are obtained under conditions of continuous contact, generally at room temperature.

Evaluate resistance under conditions of use and maintain clothing carefully.

Respiratory ProtectionNo specific guidelines are available. Contact chemical manufacturer/supplier for advice.

Respiratory protection guidelines for chlorine gas are available.

NIOSH RECOMMENDATIONS FOR CHLORINE CONCENTRATIONS IN AIR:

Up to 5 ppm:

(APF = 10) Chemical cartridge respirator*; SAR*.

Up to 10 ppm:

(APF = 25) SAR operated in a continuous-flow mode;* Powered, air-purifying respirator

with cartridge(s)*.

(APF = 50) Chemical cartridge respirator with a full facepiece and cartridge(s); Airpurifying, full-facepiece respirator (gas mask) with a chin-style, front- or back-mounted

canister; SCBA with a full facepiece; Full facepiece SAR.

A NIOSH-approved respirator suitable for chlorine is recommended. Where a higher

level of protection is required, use a self-contained breathing apparatus.

Thermal Hazards Not Available

Section 09 - Physical and Chemical Properties

<u>Appearance</u>

Physical State Liquid

Colour Clear, greenish-yellow solution.

Odour Strong chlorine odour.

Odour Threshold Not Available

Property

pH 12.5-13.5

Melting Point/Freezing Point -6°C (5% solution)

Initial Boiling Point and Boiling

Range

Slowly decomposes above 40°C

Flash Point Not Applicable

Evaporation Rate Not Available; probably very low

Flammability Non-Flammable

Upper Flammable Limit Not Applicable

Lower Flammable Limit Not Applicable

Vapour Pressure (mm Hg, 20°C) Does not form a vapour

Vapour Density (Air=1) Not Available

Relative Density Not Available

Solubility(ies) Completely soluble in water

Partition Coefficient: n-

octanol/water

Log Pow = -3.42 (estimated)

Auto-ignition Temperature Not Applicable

Decomposition Temperature Slowly decomposes above 40°C

Viscosity Not Available

Explosive Properties Pressure buildup in containers could result in an explosion when heated or in contact

with acidic fumes. Vigorous reaction with oxidizable organic materials may result in a fire.

Specific Gravity (Water=1) 1.1

% Volatiles by Volume Not Available

Formula NaOCI

Molecular Weight 74.44 g/mol

Section 10 - Stability and Reactivity

Reactivity Sodium hypochlorite solution gives off oxygen when heated or when exposed to sunlight.

However, the amount is small and will not cause or contribute to combustion. The

solutions are, therefore, not considered to be oxidizing agents.

Stability Sodium hypochlorite solutions decompose slowly at normal temperatures releasing low

concentrations of corrosive chlorine gas.

Possibility of Hazardous

Reactions

Hazardous polymerization will not occur.

Conditions to Avoid

Heat, sunlight, acidic conditions, the presence of metals and other impurities.

Incompatible Materials

Primary amines, aromatic amines, ammonium salts, phenylacetonitril, ammonia, urea, phenylacetonitrile, acids, metals, reducing agents, ethyleneimine, methanol, formic acid,

furfuraldehyde, ethandiol, sodium ethylenedioaminetetracetate solution, sodium

hydroxide solution.

Hazardous Decomposition

Products

Chlorine, sodium chlorate.

Section 11 - Toxicological Information

Acute Toxicity

ComponentOral LD50Dermal LD50Inhalation LC50Sodium Hypochlorite (6%)96.7 g/kg (mouse)166.7 g/kg (rabbit)87.5 g/m³ (rat, 4hr)

Chronic Toxicity – Carcinogenicity

Component IARC

Sodium Hypochlorite Group 3: Not classifiable as to it's carcinogenicity to humans.

[hypochlorite salts]

Skin Corrosion/Irritation Very dilute solutions have caused negligible irritation, while more concentrated solutions

have caused corrosive injury to skin and eyes.

Ingestion Burning of the mouth and throat, abdominal cramps, nausea, vomiting, diarrhea, shock.

May lead to convulsions, coma, and even death.

Inhalation Irritant of the nose and throat, causing coughing, difficulty breathing, and pulmonary

edema.

Serious Eye Damage/Irritation Very dilute solutions have caused no irritation. More concentrated solutions have caused

corrosive injury, which did not heal within 21 days.

Respiratory or Skin Sensitization Negative results (0/20 guinea pigs sensitized) have been obtained for 8% sodium

hypochlorite solution in a skin sensitization test. Insufficient details are available to evaluate a report of a positive result (positive reactions in 2/10 animals) obtained using

6% sodium hypochlorite (pH 11.2) with the guinea pig ear swelling test for non-

immunological contact urticaria.

Germ Cell Mutagenicity The available information does not suggest that sodium hypochlorite is mutagenic.

Reproductive ToxicityThere is insufficient information available to draw conclusions.

STOT-Single Exposure May cause respiratory irritation.

STOT-Repeated Exposure Not Available

Aspiration Hazard Prolonged or repeated overexposure causes lung damage.

Synergistic Materials Not Available

Section 12 - Ecological Information

Ecotoxicity

ComponentToxicity to AlgaeToxicity to FishToxicity to Daphnia and Other Aquatic InvertebratesSodium HypochloriteEC50(Red algae, 96hr):LC50(Salmo gairdneri, 48hr):LC50(Daphnia magna, 48hr):

46mg/L 0.07mg/L 0.032mg/L

Biodegradability Not Available

Bioaccumulation No evidence to support any rating.

Mobility Not Available

Other Adverse Effects Not Available

Section 13 - Disposal Considerations

Waste From Residues/Unused

Products

Dispose in accordance with all federal, provincial, and/or local regulations including the

Canadian Environmental Protection Act.

Contaminated Packaging Dispose in accordance with all federal, provincial, and/or local regulations including the

Canadian Environmental Protection Act.

Section 14 - Transport Information

NOTE: Any product strength below 7% is not regulated by TDG.

UN Number Not Regulated

UN Proper Shipping Name Not Regulated

Transport Hazard Class(es) Not Regulated

Packaging Group Not Regulated

Environmental Hazards Not listed as a marine pollutant under Canadian TDG Regulations, schedule III.

Special Precautions Not Available

Transport in Bulk Not Available

<u>TDG</u>

Other Secure containers (full and/or empty) with suitable hold down devises during shipment and

ensure all caps, valves, or closures are secured in the closed position.

TDG PRODUCT CLASSIFICATION: This product has been classified on the preparation date specified at section 14 of this MSDS / SDS, for transportation in accordance with the requirements of part 2 of the Transportation of Dangerous Goods Regulations. If applicable, testing and/or published test data regarding the classification of this product are listed in the references at section 16 of this MSDS / SDS.

Section 15 - Regulatory Information

NOTE: THE PRODUCT LISTED ON THIS SDS HAS BEEN CLASSIFIED IN ACCORDANCE WITH THE HAZARD CRITERIA OF THE CANADIAN CONTROLLED PRODUCTS REGULATIONS. THIS SDS CONTAINS ALL INFORMATION REQUIRED BY THOSE REGULATIONS.

NSF Certification......Product is certified under NSF/ANSI Standard 60 for disinfection and oxidation at a

maximum dosage for the following:

Sodium hypochlorite 5%: 174mg/L

Sodium hypochlorite 11%: 79mg/L

Sodium hypochlorite 6%: 145mg/L

Sodium hypochlorite 12%: 72mg/L

Sodium hypochlorite 12%: 72mg/L

Sodium hypochlorite 13%: 67mg/L

Sodium hypochlorite 19%: 46mg/L

Sodium hypochlorite 8%: 109mg/L

Sodium hypochlorite 14%: 62mg/L

Sodium hypochlorite 20%: 43mg/L

Sodium hypochlorite 9%: 97mg/L Sodium hypochlorite 15%: 58mg/L Sodium hypochlorite 10%: 87mg/L Sodium hypochlorite 16%: 55mg/L

Sanitizer Use: to obtain 10 liters of a 200 mg/L solution as available chlorine, use 16.7 mL of Hypochlor-12 for each 10 liters of clean, potable water.

Section 16 - Other Information

Date of Preparation: June 23, 2023 Date of Preparation: June 23, 2023

Note: The responsibility to provide a safe workplace remains with the user. The user should consider the health hazards and safety information contained herein as a guide and should take those precautions required in an individual operation to instruct employees and develop work practice procedures for a safe work environment. The information contained herein is, to the best of our knowledge and belief, accurate. However, since the conditions of handling and use are beyond our control, we make no guarantee of results, and assume no liability for damages incurred by the use of this material. It is the responsibility of the user to comply with all applicable laws and regulations.

Attention: Receiver of the chemical goods / SDS coordinator

References:

- 1) CHEMINFO
- 2) eChemPortal
- 3) TOXNET
- 4) Transportation of Dangerous Goods Canada
- 5) HSDB
- 6) ECHA
- 7) PAN

Alouette Warewash Chemicals Inc. 2130-1851 Savage Road, Richmond, BC, V6V 1R1 Phone: 1(604) 233-7722